


i22.9 **INCLINE TRAINER**

WORKOUT LIBRARY || PG 3 FITNESS COACHES || PG 4 GLOBAL WORKOUTS || **PG 5** STUDIO CLASSES || PG 6 GOOGLE MAPS™ || **PG 7** TECHNOLOGY || **PG 8** PRODUCT BENEFITS || PG 10 PRODUCT FEATURES || PG 13 SPECIFICATIONS || **PG 14** POWER REQUIREMENTS || **PG 15** WARRANTIES || **PG 16**

THE CARDIO EXPERIENCE REIMAGINED

Exclusively on content-driven cardio machines from Freemotion, your members can explore the world through thousands of coach-led workouts, right from the cardio floor. Powered by iFit, the 22 SERIES keeps users engaged with vivid imagery, motivational coaching, and auto-adjusting technology that delivers an immersive and interactive cardio experience.










THOUSANDS OF COACH-LED

MORKOUTS

Access an expansive library of on-demand workouts led by expert fitness coaches from around the world. Search or sort by location, trainer, exercise type, workout duration, intensity, and more!







WORLD-RENOWNED

FITNESS COACHES

We've hand-selected 100+ Olympic champions, celebrity trainers, physical therapists, marathoners, and location guides to be your iFit coaches. With unique training styles and personalities that motivate and inspire, you'll quickly find your new favorite trainer.





Explore the world without leaving the room with thousands of inspiring training videos beautifully filmed in stunning locations around the globe, including 40+ countries and all 7 continents. Your machine's incline/decline will even adjust to match the terrain and instructions of your coach.



Travel the World

Virtually travel to unique locations with guides that share facts, information, and history that transform your workout into an engaging and educational experience.



Workout in **Breathtaking Locations**

Discover the Pyramids of Egypt, hike the Scottish Highlands, or take a stroll through Florence with an exciting and immersive fitness experience.



Challenge yourself by virtually participating in iconic races like the Boston Marathon right from the cardio floor.

STUDIO CLASSES

Experience the hype of a high-intensity studio class alongside other participants and taught by fitness instructors that motivate and inspire you to finish strong. Let your coach guide you through the workout and virtually control your machine.



Gideon Akande
A LITTLE BIT OF EVERYTHING




Betina Gozo
TOTAL-BODY INTERVAL RUN



Anja Garcia
LADDER INTERVALS AND...









2% DECLINE

With an industry-leading 30% incline and a -3% decline available at the touch of a button, you can burn more fat calories on the Incline Trainer, with less perceived exertion. With the primary fuel source coming from fat, walking at a 30% incline burns 3.6 times more calories than walking on a flat surface.

^{*}Based on an university study comparing flat surface walking/running to incline training.

PRODUCT

BENEFITS

TWO WORKOUTS IN ONE

Build lower-body muscles while improving your cardiovascular fitness on the Incline Trainer. More effective than flat surface and stair training, walking or running at an incline increases muscle activation throughout your posterior chain and delivers an excellent workout — especially for your glutes.

DEVELOP ECCENTRIC STRENGTH

Utilize decline training to better prepare for races or outdoor running and improve postural awareness. Decline training teaches the body to decelerate and develops eccentric strength while helping to prevent falls in a safe environment.

ADD VARIETY TO YOUR WORKOUT

The unique rear motor design of the Incline Trainer creates the platform for dynamic agility training – like side shuffles, high knee skipping and carioca. Progress your workout by practicing these athletic movement patterns without incline and, when ready, increase the incline to increase the muscle challenge and cardiovascular intensity.

AT 27% INCLINE AND ABOVE,

GLUTES FIRE AT 100%, HAMSTRINGS

73%, AND CALF MUSCLES 90%.*



i22.9 INCLINE TRAINER

PRODUCT



INCREASED HEART RATE

Elevate your heart rate and the efficiency of your exercise routine by taking your workout up a notch or two. With double the incline potential of a standard treadmill, you can get your heart pumping faster and endorphins flowing more freely, whether you're running or walking at an incline.

IMPROVE YOUR BIOMECHANICS

Incline training also increases your efficiency by subconsciously improving your form, forcing a faster step turnover and shorter, more efficient strides.

It also facilitates a shift to a mid-foot strike and optimal toe push-off, rather than the less productive and injury-prone heel-strike used by many runners. You'll feel your calf muscles, hamstrings, and glutes activate as you reduce braking forces and achieve optimal power.

*Based on a university study comparing flat surface running to walking on an incline.

Average weight of participants in the study was 164.3 lbs.

PRODUCT

FEATURES

KNOW YOUR ZONE


Get real-time data during your workout with built-in EKG grips, so you know when you're in the ideal hearthealthy zone. Also compatible with ANT+ and Polar®.

SHIFT GEARS QUICKLY

Quickly achieve your desired speed by pressing two 1-STEP™ Controls back-to-back – for example, pressing '2' and '5' will adjust the speed to 2.5 mph (4 km/h) allowing you to quickly reach your ideal speed.

POWER UP

Charge your devices during your workout with a convenient USB port.



HIGH-DEFINITION DISPLAY

Immerse yourself in visually stunning imagery while working out in exotic locations around the globe, or watch a favorite TV program on this high-definition 22-in (55 cm) capacitive touchscreen.

HIIT-FRIENDLY CARDIO

Quickly adjust your speed and incline with the convenient $1\text{-STEP}^{\text{TM}}$ Controls, great for HIIT training.



◆ A COOL WORKOUT

Stay cool throughout the workout with a conveniently-located adjustable 3-speed fan, or select the AutoBreeze™ function to enjoy a variable flow that responds to your pace.

PRODUCT

SPECIFICATIONS

MODEL # FMTK74819


Display Type	22 in (55 cm) HD Capacitive Touchscreen Built-in TV Tuner* (Available Soon)	
Workouts	Thousands of Coach-Led, Unlimited with Google Maps	
Featured Languages	EN, also DE, ES, FR, IT, PT, RU, ZH	
Entertainment	HDMI, MPEG-2, MPEG-4 US & Canada: H.264 (AVC) International: H.265 (HEVC)	
Audio Connections	Bluetooth, 3.5 mm headphone jack	
Connectivity	Ethernet or Wifi minimum: 10 Mbps per unit (Dedicated Ethernet recommended)	
Drive Motor	AC 5.0 CHP Commercial Drive Motor	
Deck	1 in (2.5 cm) Double-Sided, Cushioned Deck	
Running Surface/Belt	Double Layered Quiet Belt 21.5 x 60 in (54.6 x 152 cm)	
Elevation System	-3% decline to +30% incline	
Speed Range	0-15 mph (0-24 km/h)	
AutoBreeze™ Fan	Adjustable, 3-Speed, 8-in (20.3 cm) CrossFlow™ Fan	
Heart Rate Monitoring	EKG Pulse Sensors, ANT+ and Polar Compatible	
Accessories Holder(s)	Phone/Accessories Tray, Bottle Holder	
Step-Up Height	15.5 in (39.4 cm)	
Maximum User Weight	400 lbs (181 kg)	
Product Weight	750 lbs (340.2 kg)	
Shipping Weight	780 lbs (353.8 kg)	
Shipping Dimensions (L x W x H)	85 x 43 x 33.7 in (215.9 x 109.2 x 85.5 cm)	
Certifications	cTUVus, FCC/IC, BQB	

*NTSC, PAL, SECAM etc.

PRODUCT OPTIONS

Units	Metric Imperial
Power	120 VAC, 20 Amp 240 VAC, 15 Amp
Color	Black White Red Yellow

i22.9 INCLINE TRAINER



NETWORK CONNECTIVITY

Freemotion requires a minimum of Category 5e (Cat5e) twisted pair ethernet cable. Freemotion recommends Category 6 (Cat6) twisted pair ethernet cable to ensure stable and efficient connection.

Freemotion requires all switching devices to be capable of handling up to 10/100/1000 Mbps, and a dedicated network connection for each connected fitness product. All connected products, whether on WiFi or via Ethernet, should be on a secure and protected network capable of providing a minimum bandwidth of 10 Mbps per unit.

INCLINE TRAINER & REFLEX™ TREADMILL

POWER REQUIREMENTS

WARNING

Failure to follow may cause unexpected behavior of the treadmill or other machine malfunctions.



110-Volt Treadmill Applications

Voltage range: 100-120 VAC, 60 Hz | Freemotion treadmills require an individual branch circuit using a NEMA 5-20R isolated ground (pictured), or similar receptacle. The hot, neutral, and ground wires must each be independently isolated (not looped or tied to other circuits).



220-Volt Treadmill Applications

Voltage range: 200-240 VAC, 50/60 Hz |
Freemotion treadmills require an individual branch circuit using an CEE 7 (pictured), NEMA 6-20R, or similar receptacle. Two hot and the one ground wires must be independently isolated (not looped or tied to other circuits).

Do not modify the plug provided with this product as it will void the warranty and may damage the product. If it will not fit your electrical outlet, have a qualified electrician install the appropriate outlet in your facility.

ELECTRICAL APPLICATIONS

Electrical supply may fluctuate in your area. To ensure the product's stable performance, we require the following wiring gauges based on the distance between the single treadmill and the panel.

DISTANCE	WIRE SIZE
100-150 ft 30-45 m	10 Gauge 6 mm²
150-200 ft 45-60 m	8 Gauge 10 mm²
More than 200 ft 60 m	6 Gauge 16 mm²

When designing a facility or installing new Freemotion equipment into a facility, it is important to have the correct electrical power provisions for the equipment to operate safely and correctly. Each treadmill must be furnished with an Individual Branch Circuit. Circuits for 110-Volt models must include a 20-amp circuit breaker and individual 20-amp isolated ground receptacles for each treadmill. Circuits for 220-Volt must include a 15-amp circuit breaker and individual 15-amp isolated ground receptacles for each treadmill. The US-based NEC requires that each outlet has dedicated conductors of at least 12 AWG (American Wireless Gauge) for line, neutral, and ground for 20-amp service. Larger conductors (10 AWG) may be required for long branch circuits or high temperatures to prevent voltage drop. Dedicated outlets must not share a line, neutral, or ground conductors with other outlets. This means that a single breaker, one hot wire, one neutral wire, and one ground wire are connected from the panel to a single electrical load, in this case, one treadmill.

ALL CIRCUITS FOR TREADMILLS SHOULD NOT SHARE A NEUTRAL GROUND. Each neutral wire and each ground wire should be tied back to the panel directly. This should help to avoid three problems commonly experienced:

- 1. Overloading the Circuit Breaker: With only one treadmill connected to a single circuit breaker in the electrical panel, the smaller circuit breaker in the treadmill will trip first if there is an over-current situation due to abnormal treadmill operation. If more than one treadmill is wired to the same panel breaker, the additional current requirements may frequently overload and trip the panel breaker, even though the treadmills are operating normally.
- 2. Overloading the Neutral Wire: If there are multiple treadmills connected to the same neutral wire, even if each hot conductor is wired to separate breakers, there is a risk of overloading the neutral wire, possibly resulting in a dangerous situation (could overheat and cause a fire) and/or more commonly, low voltage at the outlet. As a result of the low voltage the amperage (AMPS) goes up to keep up with the current demand. With the high amounts of current comes high heat, which will damage the electrical components such as the power board, console, and other small components within the treadmill.
- 3. Low Voltage at the Outlet: A few things can cause this; the most common is too many treadmills on one circuit (or neutral wire), which overloads and heats the wire, causing the voltage at the outlet to drop. This also happens if the wire size is too small or the distance from the panel to the outlet is too far. Low voltage at the outlet can only be measured when the load is at its peak. The voltage may be sufficient when all the treads are off but lower significantly when they are all operating and drawing 20-amps. Low voltage causes problems for the drive motor, power board, and motor controller, resulting in unexpected behaviors of the treadmill.

The benefits of an Isolated Ground (IG): The primary reason for using an IG is to provide a noise-free (electromagnetic interference) ground return, separate from the equipment grounding return. The IG provides an isolated, separate ground path for the ground reference in the treadmill. The IG also helps eliminate the potential for a "ground loop," which can cause electromagnetic interference.

NOTE: DO NOT share TV Power Supplies with Treadmill 20A Circuits. Failure to follow these requirements may cause unexpected behavior of the treadmill or other machine malfunctions. We recommend that you meet with a qualified electrician to meet your individual needs best.

CARDIO: HIGH-USAGE - 22, 10, & 8 SERIES	US & CANADA	INTERNATIONAL
Frame (not including coatings), Drive Motor	7 Years	7 Years
Parts and Console	2 Years	2 Years
Labor	1 Year	1 Year
Cosmetic & Wear Items*	6 Months	6 Months
CARDIO: LOW-USAGE - 22, 10, & 8 SERIES**	US & CANADA	INTERNATIONAL
Frame (not including coatings), Drive Motor	7 Years	7 Years
Parts and Console	3 Years	3 Years
Labor	3 Years	1 Year
Cosmetic & Wear Items*	6 Months	6 Months
TV ATTACHMENTS	US & CANADA	INTERNATIONAL
MYE Digital LCD TV	3 Years	3 Years
MYE TV Controller & Wireless Receiver	2 Years	2 Years
MYE Wireless Transmitter	5 Years	5 Years
INDOOR BIKES	US & CANADA	INTERNATIONAL
Frame (not including coatings)	7 Years	7 Years
Belt	5 Years	5 Years
Parts and Console	2 Years	2 Years
Labor	1 Year	1 Year
Cosmetic & Wear Items*	6 Months	6 Months
FUSION	US & CANADA	INTERNATIONAL
Frame (not including coatings)	10 Years	10 Years
Parts	2 Years	2 Years
Ropes and Labor	1 Year	1 Year
Cosmetic & Wear Items*	6 Months	6 Months
STRENGTH/BENCHES/RIGS/RACKS/ATTACHMENTS	US & CANADA	INTERNATIONAL
Frame (not including coatings)	10 Years	10 Years
Parts	3 Years	3 Years
Cables and Labor	1 Year	1 Year
Cosmetic & Wear Items*	6 Months	6 Months
Upholstery & Padding	120 Days	120 Days
FREE WEIGHTS	US & CANADA	INTERNATIONAL
Urethane-coated Weights (repair or replace at our discretion)	3 Years	3 Years
Rubber-coated Weights (repair or replace at our discretion)	2 Years	2 Years

^{*}Includes Non-warning Decals, Deck Rails, Pulse Grips, USB, Audio Jack, Handrails, Motor Hood, Fan Levers, Water Bottle Holders, Pedals, Pedal Straps, Seats, Handles/Levers/Knobs, Hand Grips, Removable Trays, Weight Pins, Springs, Belts (except Walking Belts), Accessories, Rust on Any Metal Components.

FREEMOTION. WARRANTIES

^{**}For non-dues paying facilities with machine usage of 6 hours or less per day.

FREE/IOTION.